Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	399/67,390.ccls. and (gloss) and @pd>"20050330"	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:02
L2	35	(fix fixing fuse fusing fuser fixer) and (gloss) and (roughness) and @pd>"20050330"	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:03
L3	0	G03G\$.ipc. and (fix fixing fuse fusing fuser fixer) with (gloss) with (roughness) and @pd>"20050330"	JPO; DERWENT	OR	ON	2005/05/18 17:08
L4	7	(surface near2 roughness) near8 gloss and @pd>"20050330"	USPAT	OR	ON	2005/05/18 17:09
L5	508	(surface near2 roughness) near8 gloss	USPAT	OR	ON	2005/05/18 17:09
L6	0	L5 and ((measure detect sense measurement detection sensor detector) near5 roughness) and @pd>"20050330"	USPAT	OR	ON	2005/05/18 17:09
L7	2	gloss and ((measure detect sense measurement detection sensor detector) near5 roughness) and @pd>"20050330"	USPAT	OR	ON	2005/05/18 17:09
L8	22	(replace) with (fuser fusing fixer fixing fix) and @pd>"20050330"	US-PGPUB; USPAT	OR	ON	2005/05/18 17:10
L9	10	"399".clas. and (roller with (advantageous advantage better good) with (belt)) and @pd>"20050330"	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:12
L10	54	(surface near5 (sensor detector measuring (measuring near2 device)) with (belt roller)) and @pd>"20050330"	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:20
L11	6	"430".clas. and (fix fixing fuse fusing fuser fixer) and (gloss) and (roughness) and @pd>"20050330"	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:22
L12	215	399/67.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:22
S1	35	399/67,390.ccls. and (gloss)	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:01
S2	32	399/67.ccls. and (gloss)	US-PGPUB; USPAT; EPO	OR	ON	2005/03/23 11:14

S3	1192	(fix fixing fixer fixer)	LIC DCDLID.	OD	ON	2005/05/10 17 02
33	1192	(fix fixing fuse fusing fuser fixer) and (gloss) and (roughness)	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:02
S4	56	(fix fixing fuse fusing fuser fixer) with (gloss) with (roughness)	US-PGPUB; USPAT; EPO	OR	ON	2005/03/23 13:45
S5	3	("5325164" "6091924" "6463250").pn.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/23 11:26
S6	40	("3666247"   "3854975"   "3863603"   "3959574"   "3983287"   "4023967"   "4255508"   "4372246"   "4378622"   "4531825"   "4601963"   "4791275"   "4899197"   "4994827"   "5038178"   "5143573"   "5227853"   "5258809"   "5298956"   "5335054"   "5376999"   "5386273"   "5415961"   "5418600"   "5438398"   "5497222"   "5508789"   "5519475"   "5553541"   "5592269"   "5636349"   "5669045"   "5704291"   "5722016"   "5745829"   "5790930"   "5894796"   "5946525"   "6044243"   "6075965").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 11:49
S7	5	("3810776"   "4285295"   "5212527"   "5504566").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 11:55
S8	1	(fix fixing fuse fusing fuser fixer) with (gloss) with (roughness)	EPO	OR	ON	2005/03/23 13:45
S9	1	(fix fixing fuse fusing fuser fixer) with (gloss) same (roughness)	EPO	OR	ON	2005/03/23 13:45
S10	1	(fix fixing fuse fusing fuser fixer) with (gloss) and (roughness)	EPO	OR	ON	2005/03/23 13:45
S11	8	G03G\$.ipc. and (fix fixing fuse fusing fuser fixer) with (gloss) with (roughness)	JPO; DERWENT	OR	ON	2005/05/18 17:08
S12	1	"5450183".pn.	USPAT	OR	ON	2005/03/23 13:52
S13	499	(surface near2 roughness) near8 gloss	USPAT	OR	ON	2005/05/18 17:09
S14	34	S13 same (fix fixing fuse fusing fixer fuser)	USPAT	OR	ON	2005/03/23 13:53

S15		("3590000"   "3655374"   "4089472"   "4323634"   "4394430"   "4513074"   "4517272"   "4758491"   "4859558"   "4900647"   "4921771"   "4950573"   "5023038"   "5047305"   "5089363"   "5118588"   "5126225"   "5192637"   "5254426"   "5256507"   "5258256"   "5378572"   "5536352"   "Re31072").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 14:53
S16	49	S13 and ((measure detect sense measurement detection sensor detector) near5 roughness)	USPAT	OR	ON	2005/05/18 17:09
S17	72	(roller belt) same ((measure detect sense measurement detection sensor detector) near5 roughness)	USPAT	OR	ON	2005/03/23 15:49
S18	9	("4597794"   "4832984"   "5502475"   "5618338"   "5815173"   "6012794"   "6120199"   "6390617"   "6550909").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 15:59
S19	3	347/104.ccls. and (roughness near5 (sensor measure sense measurement detector detect detecting measuring sensing))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 16:00
S20	248	gloss and ((measure detect sense measurement detection sensor detector) near5 roughness)	USPAT	OR	ON	2005/05/18 17:09
S21	127	S20 and (roller belt)	USPAT	OR	ON	2005/03/23 17:17
S22	738	(replace) with (fuser fusing fixer fixing fix)	USPAT	OR	ON	2005/05/18 17:10
S23	18	(replace) with (fuser fusing fixer fixing fix)	EPO	OR	ON	2005/03/23 17:17
S24	1	"20020027587"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/23 17:44
S25	3	399/328.ccls. and (roller near5 (advantageous advantage better good) with (belt))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/24 10:02
S26	21	399/328.ccls. and (roller with (advantageous advantage better good) with (belt))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/24 10:04
S27	0	"399".ccls. and (roller with (advantageous advantage better good) with (belt))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/24 10:04

S28	343	"399".clas. and (roller with (advantageous advantage better good) with (belt))	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:11
S29	2870	(surface near5 (sensor detector measuring (measuring near2 device)) with (belt roller))	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:20
S30	39	S29 with (roughness)	US-PGPUB; USPAT; EPO	OR	ON	2005/03/24 11:33
S31	307	"430".clas. and (fix fixing fuse fusing fuser fixer) and (gloss) and (roughness)	US-PGPUB; USPAT; EPO	OR	ON	2005/05/18 17:21
S32	30	"430".clas. and ((fix fixing fuse fusing fuser fixer) with (gloss) with (roughness))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/24 13:33
S33	5	("5783348").URPN.	USPAT	OR	ON	2005/03/24 13:34